

Price List

JUMP TO PRICING [CLICK HERE](#)

TABLES



VERSTEEL

Prices

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total net price, or a flat rate of \$250*, whichever is greater. A minimum charge of \$300* will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 917. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

MAILING ADDRESS

Versteel
2332 Cathy Lane
Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

Credit

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping Schedule*Standard Items*

Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Veneer, Wood Edge	6-8 WEEKS
Corian®	3-5 WEEKS

Contact Versteel for special lead time requests.

Shipping

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 917 for shipping charges. Arvo tables are shipped unassembled.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel
2332 Cathy Lane
Jasper, IN 47546

Shipping Damage Claims or Shortages

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

Concealed Damage

If concealed damage is discovered the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal.

Reports of concealed damage after five business days will not be considered.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.

Force Majeure

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstance making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

Oversized Shipping Fee

Orders received for items or tops greater than 94" in length will receive a \$200* net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

Warranty

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian®, KrystalCast® and upholstery is not covered by Versteel but is covered by laminate, Corian®, KrystalCast® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling, is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces with PVC edge

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Corian® Surfaces

Clean regularly with a cloth or sponge wrung out in warm soapy water. You can also use ammonia-based cleaners or commercial cleaners recommended for use on Corian® surfaces. Wipe up any water spills immediately so as not to leave a film that makes the finish look blotchy.

Care of Powder Coat and Nickel Surfaces

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.



Tops

Laminate and veneer tops are 1 ¼" thick. Corian® tops have a 1" top thickness. All are standard with square corners.

Leg Materials

Ash, Cherry, Maple or Walnut triangular wood legs are available in the standard Versteel finishes. The metal reveal is available in any standard powder coat, Chrome or Nickel.

Features

The 30" tall tables are standard with 1 ½" diameter nylon adjustable glides. Glides allow .5" adjustment of the table.

Legway Wire Management

Black plastic legway wire managers are mounted in the top and bottom of the leg guiding the wire(s) from the underside of the table to the power source while maintaining visibility of the wires. One set of legway managers will be sent with every table.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.



Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T11 No. A-30.




Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or plain sliced veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped with rectangular understructure attached.

Corian® Construction

Tops are 1/2" Corian® with a 7/16" thick plywood subtop glued to the bottom side with a 1/2" Corian® rim applied to conceal the plywood subtop. The underside is bored to allow pressing in metal screw inserts for field installation of the legs and/or connectors.




PVC Flat or Fluted Edge

Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Offered in twenty-one (21) standard colors.



Reverse Bevel Acrylic

Edge of 2mm acrylic edge banding hot melt banded to MDF core. A reverse bevel is cut into the edge exposing the MDF, which is clear coated.



Wood Flat or Fluted Edge

Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Offered in Ash, Cherry, Maple, or Walnut materials.




Corian® Eased Square Edge

A traditional 1" flat edge with a small radius where horizontal surfaces meet vertical for comfort and a softened aesthetic. Offered in seven (7) standard colors.

To Order, Specify...

- 1 Model Number, include top and edge style
- 2 Top Material
 - a. Laminate
 - 1. Laminate manufacturer and color
 - b. Veneer
 - 1. Veneer species and finish color
 - c. Corian®
 - 1. Corian® color
- 3 Edge color
- 4 Leg species
- 5 Leg finish
- 6 Leg accent color
- 7 Additional options



An **AOR148SQFXVW2S** is an Arvo series 48" square table with fixed R1 bases, a veneer 1 1/4" thick top with a flat wood edge and square corners.

The codes **AP01/VDRI/A01/WFOG/ECHR** specify an Ash top species with Drift finish, Ash leg species with Fog finish and Chrome leg accent.

Base Model AOR148SQFXVW2S



Orders may be sent via:

MAILING ADDRESS
Versteel
2332 Cathy Lane
Jasper, IN 47546

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

Laminate

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite.

Laminate manufacturers change standard offerings frequently, and it is possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Veneer

Arvo tables are available with plain sliced Ash, Cherry, Maple and Walnut veneers.

Veneer Species

Ash	AP01	Maple	MP01
Cherry	CP01	Walnut	WP01

Veneer Finish

Ash

Beach	VBEA	Fog	VFOG
Chestnut	VCHE	Pebble	VPEB
Drift	VDRI	Whisper	VWHI
Fawn	VFAW		

Cherry

Blossom Cherry . .	VBLC	Java Cherry	VJAC
Cordovan Cherry .	VCNC	Millwork Cherry . .	VMWC
Golden Cherry . .	VGNC		

Maple

Caramel Maple . .	VCMM	Sugar Maple	VSUM
Solar Maple	VSLM		

Walnut

Brighton Walnut .	VBRW	Natural Walnut . .	VNAW
Espresso Walnut	VESW		

Corian®

Corian® is an advanced composite product used as an architectural and design material in a variety of residential and commercial applications.

Corian® Colors

Antarctica	NART	Matterhorn	NMTH
Bisque	NBIS	Pearl Gray	NPLG
Designer White .	NDEW	Platinum	NPLA
Elegant Gray . .	NELG	Savannah	NSAV
Glacier White . .	NGLW	Silver Gray	NSLG
Linen	NLIN	Vanilla	NVAN

Alternative Corian® colors may be specified. Contact Customer Service for quote.

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Edges

Arvo table edges are available in PVC, reverse bevel acrylic and wood.

- PVC provides hot melt in a continuous band around the surface.
- Reverse bevel acrylic edge banding is hot melt banded to MDF core.
- Wood banding is a multi-ply wood band in Ash, Cherry, Maple or Walnut.

PVC Edge Colors

Absolute Acajou .	CABA	Nimbus	CNIM
Alloy	CALY	Pearl	CEAL
Carbon	CCAR	Platinum	CPLA
Champagne	CCHA	Pralines & Cream	CPRC
Coconut	CCOC	Shadow	CSHA
Ebony	CEBO	Snow	CSNO
Florence Walnut .	CFLW	Stone	CSTO
Fossil	CFOS	Storm	CSTM
Graphite	CGRA	Whisper	CWHI
Grey	CGRE	White Linen	CWHL
Kensington	CKEM		
Maple			

Wood Edge Species

Ash	A01	Maple	M01
Cherry	C01	Walnut	W01

Wood Edge Finishes

Ash

Beach	WBEA	Fog	WFOG
Chestnut	WCHE	Pebble	WPEB
Drift	WDRI	Whisper	WWHI
Fawn	WFAW		

Cherry

Blossom Cherry . .	WBLC	Java Cherry	WJAC
Cordovan Cherry .	WCNC	Millwork Cherry . .	WMWC
Golden Cherry . .	WGNC		

Maple

Caramel Maple . . .	WCMM	Sugar Maple	WSUM
Solar Maple	WSLM		

Walnut

Brighton Walnut .	WBRW	Natural Walnut . .	WNAW
Espresso Walnut .	WESW		

Leg Species

Ash	A01	Maple	M01
Cherry	C01	Walnut*	W01

* Add \$175 list per table when Walnut legs are specified.

Leg Finish**Ash**

Beach	WBEA	Fog	WFOG
Chestnut	WCHE	Pebble	WPBE
Drift	WDRI	Whisper	WWHI
Fawn	WFAW		

Cherry

Blossom Cherry	WBLC	Java Cherry	WJAC
Cordovan Cherry	WCNC	Millwork Cherry	WMMWC
Golden Cherry	WGNC		

Maple

Caramel Maple	WCMM	Sugar Maple	WSUM
Solar Maple	WSLM		

Walnut

Brighton Walnut	WBRW	Natural Walnut	WNAW
Espresso Walnut	WESW		

Leg Accent Color**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat — Standard	n/c
Powder Coat — Premium	\$147*

Powder Coat Colors

Alloy	PALY	Navy	PNAV
Amethyst	PAME	Nimbus	PNIM
Anthracite	PANT	Nutmeg	PNUT
Black Anodized	PBLA	† Obsidian	POBS
Bronze	PBRO	† Pacific	PPAC
Calypso	PCAL	Pearl	PPEA
Carbon	PCAR	Pebble	PPEB
Champagne	PCHA	Ⓟ *Platinum	PPLA
Coconut	PCOC	Poppy	PPOP
† Copper	PCOP	† Raven	PRAV
Crimson	PCRI	Royal	PROY
† Crystal	PCRY	Satin	PSAT
Daffodil	PDAF	Seaside	PSEA
Ebony	PEBO	Shipyards	PSHI
Forest	PFOR	Silver	PSIL
Fossil	PFOS	Snow	PSNO
† Garnet	PGAR	Stone	PSTO
† Gold	PGOL	Storm	PSTM
Graphite	PGRA	Terra Cotta	PTEC
Ⓟ Hope	PHOP	Whisper	PWHI
Kelly Green	PKEG	White Linen	PWHL
† Matte	PMAT	Powder Coat	
Mica	PMIC	Alternative	OPA
Mint	PMNT		

*Platinum Powder Coat is available with a \$417 upcharge

Transparent Powder Coats (indicated by †)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible.

Premium Powder Coats (indicated by Ⓟ)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Chrome

Versteel applies a deep luster nickel chrome plated finish. Chrome is the most durable finish available. Specify Chrome and add \$147.00 list per table.

Chrome ECHR

Nickel

Versteel applies a nickel plated finish with a clear coat applied for durability.

Specify Nickel and add \$200.00 list per table.

Nickel ENKL

Finish Reference & Samples

For finish color reference, please refer to our website. Contact Versteel to receive actual color samples for color matches and final color approval.

Arvo Options
Plastic Legway
\$16 / set of 2

Specify code **WAL** (Black Plastic Legway), add \$16.00 list per set of two

Black plastic legways are installed in the top and the bottom of one leg when a power and/or data option is selected on the table. Additional legway managers can be added to the table by selecting code WAL and adding \$16 list each set.



Powder Coat Alternative
Call for quotation

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate
Call for quotation

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Sky. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

CAUTION Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Custom PVC Color Match
Call for quotation / one time charge per color, per order

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match
\$894 / one time charge per finish, per order

Specify code **OSM** (Stain Finish Match), add \$894.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels (Oak veneer's natural pore grain does not allow the application of a full-fill finish). Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

V Charge Wireless Charging

Wireless charging pads for phones and tablets with built-in Qi wireless charging. Pads are surface mounted into the table top.

**Option Code**

VWC1 \$275 list

SPECIFICATIONS

- 10 Watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 6' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

Option Code

VWC2 \$353 list

SPECIFICATIONS

- 15 watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 5' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

Eclipse

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

**SPECIFICATIONS**

- Hole mount is 4.5" diameter

Model Description

ECL-IP3X	Three (3) power	\$392 list
ECL-IP2U	Two (2) power and one (1) dual port USB charger	\$462 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Model Example: ECL-IP2U-STB-72

Hemisphere

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

**SPECIFICATIONS**

- Hole mount is 3" diameter

Model Description

HEM-IP3X	Three (3) power	\$282 list
HEM-IP2U	Two (2) power and one (1) dual port USB charger	\$350 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Model Example: HEM-IP2U-STB-72

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$373 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$382 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$390 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$399 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$396 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$403 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$412 list
AXZ-IP-4-0	Four (4) power and no open ports	\$491 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$499 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$505 list

Unit Color

MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$128 list
MBBA	Matte Black Faceplate, Black Trim	\$128 list
MSBA	Matte Storm Faceplate, Black Trim	\$128 list
MFBA	Matte Fog Faceplate, Black Trim	\$128 list
GWBA	Gloss White Faceplate, Black Trim	\$128 list
GBBA	Gloss Black Faceplate, Black Trim	\$128 list
SVBA	Silver Faceplate, Black Trim	\$128 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

USB Charging Options (Total cannot exceed 80 watts)

UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$290 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG	VGA jack, 15 pin	\$122 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

NOTE ROUND AND SQUARE TABLES WILL ONLY ACCOMMODATE UNITS WITH UP TO FOUR (4) PORTS

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.



SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Requires cutout in worksurface

Model	Description	
ELL-IP-2-0	Two (2) power and no data	\$585 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$597 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$606 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$617 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$612 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$623 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$632 list
ELL-IP-4-0	Four (4) power and no open ports	\$761 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$771 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$782 list

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$184 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

USB Charging Options (Total cannot exceed 80 watts)

UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$290 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG	VGA jack, 15 pin	\$122 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: ELL-IP-4-4-SAABT-72-U1-DA-DA-HD

NOTE ROUND AND SQUARE TABLES WILL ONLY ACCOMMODATE UNITS WITH UP TO FOUR (4) PORTS

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.

**SPECIFICATIONS**

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model Description

MHO-IP-2-0	Two (2) power and no data	\$501 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$510 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$522 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$531 list
MHO-IP-3-1	Three (3) power and one (1) open port	\$585 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$598 list
MHO-IP-3-5	Three (3) power and five (5) open ports	\$608 list
MHO-IP-4-0	Four (4) power and no open ports	\$653 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$662 list
MHO-IP-4-4	Four (4) power and four (4) open ports	\$672 list

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$184 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

USB Charging Options (Total cannot exceed 80 watts)

UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$290 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG	VGA jack, 15 pin	\$122 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: MHO-IP-3-3-SAABT-72-U1-DA-DA

NOTE ROUND AND SQUARE TABLES WILL ONLY ACCOMMODATE UNITS WITH UP TO FOUR (4) PORTS

VERSTEEL



Questions?

1.800.876.2120

Black = Fixed Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate	Veneer Wood	Corian®
	Flat 	Flat 		Flat 	Eased
edge ordering code >	LP2R	LW2R		VW2R	CS7R
top thickness >	1 ¼"	1 ¼"		1 ¼"	1"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	Fluted 	
edge ordering code >	LPF2R	LWF2R	LMRA2R	VWF2R	
top thickness >	1 ¼"	1 ¼"	1 ¼"	1 ¼"	
top thickness price >	1 ¼"		1 ¼"	1 ¼"	1 ¼"

Base Style	Table Description	Model #	Product Wt				
<p>R1</p>	36 Fix	AOR1 36RDFX	74	2598	2861	4640	3974
	42 Fix	AOR1 42RDFX	90	2844	3157	5079	4339
	48 Fix	AOR1 48RDFX	106	2886	3294	5506	4621
	54 Fix	AOR1 54RDFX*	125	3643	4167	6343	N/A

*Denotes tables with a center leg

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Color
- 4 Leg Species
- 5 Leg Finish
- 6 Leg Accent Color
- 7 Additional Options



VERSTEEL

Finish Options	Price
Chrome	\$ 147
Nickel	\$ 200
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 147
Platinum	\$ 438

Top Options	Code	Price
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power Options
Please see pages 98-101

Arvo
Square



VERSTEEL

Questions?
1.800.876.2120

Black = Fixed Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate	Veneer Wood	Corian®
	Flat 	Flat 		Flat 	Eased
edge ordering code (square corner) >	LP2S	LW2S		VW2S	CS7S
top thickness >	1 ¼"	1 ¼"		1 ¼"	1"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	Fluted 	
edge ordering code (square corner) >	LPF2S	LWF2S	LMRA2S	VWF2S	
top thickness >	1 ¼"	1 ¼"	1 ¼"	1 ¼"	
top thickness price >	1 ¼"		1 ¼"	1 ¼"	1 ¼"

Base Style	Table Description	Model #	Product Wt				
<p>R1</p>	36 Fix	AOR1 36SQFX	90	2651	2909	4687	4027
	42 Fix	AOR1 42SQFX	109	2878	3188	5109	4372
	48 Fix	AOR1 48SQFX	130	2929	3322	5536	4654
	54 Fix	AOR1 54SQFX*	154	3676	4198	6374	N/A

*Denotes tables with a center leg

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Color
- 4 Leg Species
- 5 Leg Finish
- 6 Leg Accent Color
- 7 Additional Options



Finish Options

	Price
Chrome	\$ 147
Nickel	\$ 200
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 147
Platinum	\$ 438

Top Options

	Code	Price
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power Options








Please see pages 98-101




Questions?

1.800.876.2120

Black = Fixed Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate	Veneer Wood
	Flat 	Flat 		Flat 
edge ordering code (square corner) >	LP2S	LW2S		VW2S
top thickness >	1 1/4"	1 1/4"		1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	Fluted 
edge ordering code (square corner) >	LPF2S	LWF2S	LMRA2S	VWF2S
top thickness >	1 1/4"	1 1/4"	1 1/4"	1 1/4"
top thickness price >	1 1/4"	1 1/4"		1 1/4"

Base Style	Table Description	Model #	Product Wt			
 <p>R1</p>	30 x 48 Fix	AOR1 3048REFX	93	2750	3015	4528
	30 x 60 Fix	AOR1 3060REFX	107	2916	3223	4723
	30 x 72 Fix	AOR1 3072REFX	121	3099	3478	4992
	30 x 84 Fix	AOR1 3084REFX*	136	3896	4293	6038
	30 x 96 Fix	AOR1 3096REFX*	150	3969	4436	6644
	36 x 48 Fix	AOR1 3648REFX	110	2858	3159	4886
	36 x 60 Fix	AOR1 3660REFX	129	3013	3353	4997
	36 x 72 Fix	AOR1 3672REFX	150	3267	3677	5150
	36 x 84 Fix	AOR1 3684REFX*	169	4040	4473	6320
	36 x 96 Fix	AOR1 3696REFX*	189	4160	4659	7126
	42 x 72 Fix	AOR1 4272REFX*	167	3975	4374	6759
	42 x 84 Fix	AOR1 4284REFX*	188	4371	4853	7284
	42 x 96 Fix	AOR1 4296REFX*	210	4498	5042	7858
	48 x 96 Fix	AOR1 4896REFX*	232	4534	5114	7985

*Denotes tables with a center leg

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Color
- 4 Leg Species
- 5 Leg Finish
- 6 Leg Accent Color
- 7 Additional Options



VERSTEEL

Finish Options	Price
Chrome	\$ 147
Nickel	\$ 200
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 147
Platinum	\$ 438

Top Options	Code	Price
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power Options
 Please see pages 98-101

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com
Made in America
800 876 2120