

# Price List

JUMP TO PRICING [CLICK HERE](#)

TABLES



# VERSTEEL

**Prices**

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total net price, or a flat rate of \$250\*, whichever is greater. A minimum charge of \$300\* will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 917. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**Acknowledgement**

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

**Orders**

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

**CONTACT VERSTEEL**

EMAIL contact@versteel.com  
TELEPHONE 800 876 2120  
812 634 2120  
FACSIMILE 812 482 9318

**MAILING ADDRESS**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

**Credit**

You are requested to enclose one bank reference and three trade references with your initial order.

**Credit Cards**

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

**Changes or Cancellation**

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

**Packaging**

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

**Shipping Schedule***Standard Items*

Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS

Contact Versteel for special lead time requests.

**Shipping**

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 917 for shipping charges. Sky tables are shipped unassembled.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

**FOB ORIGIN, FREIGHT PREPAID**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

**Shipping Damage Claims or Shortages**

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

**Concealed Damage**

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

**Partial Shipments**

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

**Returns**

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

**Terms**

Terms are 1%, 10 days, net 30 days from date of invoice.

**Force Majeure**

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstance making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

**Oversized Shipping Fee**

Orders received for items or tops greater than 94" in length will receive a \$200★ net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

**Warranty**

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian®, KrystalCast® and upholstery is not covered by Versteel but is covered by laminate, Corian®, KrystalCast® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

**Care of Laminate Surfaces with PVC edge**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

**Care of Wood Edges and Veneer Surfaces**

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

**Care of Powder Coat**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

**Maintenance of Mechanical Parts**

Clean any lint or debris from the moving parts of the tilt base mechanism. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

**Objective**

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

**Policy Statement**

*Each Versteel facility has the responsibility to:*

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.



**Base Styles**

The Sky Adjustable Height Table is available in five base styles to coordinate with the following table series: Brattice, Eliga, Performance, Skware, and Vela. The rectangle tables offer T or cantilever bases. Columns are round on all base styles.

Sky bases are intended to coordinate with fixed height tables in other series. Bottom rails will match fixed-height tables; however, the column may differ to accommodate the adjustable height mechanism.

**Base Materials**

The base is available in Versteel's standard powder coat offering or Studio Steel®. Tables are not available in Chrome or Nickel.

**Casters**

Tables are standard with two locking casters on the user side and two non-locking casters on the approach side, with the exception of tables with a Vela base style. Vela base style tables will have four locking casters. Optional glides are available at no upcharge.

Dual Wheel, black 2" diameter casters are standard on Brattice, Eliga, Performance, and Skware base styles. The Vela base includes the series-specific, unique Vela-profile 3" diameter casters. Each caster is fitted to a reinforced caster receiver.

**Tops**

All tops are 1 1/4" thick and are offered with fixed or slim-tilt bases. Tables must be in lowest position to tilt.

**Adjustable Height**

Sky Adjustable Height tables offer infinite adjustability - from sit to stand or anywhere in between. Tables with casters (standard) have a 29" to 42" height range and those with glides have a 27" to 40" height range. All Sky tables are ADA compliant.

**Operational Standards**

These patented height assist tables are manufactured using pneumatic cylinders. Sky is designed to function with a maximum weight capacity of an additional 20 lbs. The greater the weight placed on the table top, the greater effort will be required to operate the pneumatic assist. This inverse applies when lowering the table. If the table is intended to hold more than an additional 20 lbs, please contact Versteel Customer Service.

**Wire Management**

The slim-tilt tables include two clear plastic wire managers which are formed to create a J channel. In addition to housing wires, these channels also act as a bumper between nested tables to prevent table top damage.

**Quality Standards**

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.






Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T11 No. A-30.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

**Laminate and Veneer, Standard Core Construction**


The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top.



**PVC Flat or Fluted Edge**

Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available.

Offered in twenty-one (21) standard colors.



**Wood Flat or Fluted Edge**

Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available.

Offered in Maple, Walnut or Cherry materials.



**Bumper Edge**

Exposed ply core banding with rubberized 3/8" width bumper in the center of profile. Corners have a 1 1/2" radius.

Offered in black bumper standard color.

**To Order, Specify...**

- 1 Choose your base model, including a top and edge style.
- 2 Specify the base color, laminate or veneer code, and edge color.
- 3 a. Indicate selected base options.  
b. Indicate selected top options.  
c. Indicate selected power and data options.  
d. Indicate selected wire management options.



An **SKVETC 2448REST** is a Sky table with cantilever slim-tilt Vela style base with a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **PSNO / TW D354-60 / CSNO** specify a Snow base, Wilsonart D354-60 Designer White laminate and the PVC edge in Snow.

**Base Model SKVETC 2448REST LP2R**



**Orders may be sent via:**

**MAILING ADDRESS**  
Versteel  
2332 Cathy Lane  
Jasper, IN 47546

**CONTACT VERSTEEL**

**EMAIL** contact@versteel.com  
**TELEPHONE** 800 876 2120  
812 634 2120  
**FACSIMILE** 812 482 9318



**Studio Steel®**

Versteel's "urban fabrication" process leaves the telltale signs of welding and assembly on the surface, highlighting a manufacturing aesthetic. Choosing a clear or transparent powder coat is recommended, allowing tonal striations (created as a result of extreme heat), natural textures, and the inherent qualities of raw steel to show through.

Studio Steel Process . . . . . \$147

**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

**Powder Coat Finish Options**

Powder Coat - Standard . . . . . n/c  
 Powder Coat - Premium . . . . . \$147\*

**Powder Coat Colors**

Alloy . . . . . <b>PALY</b>	Mint . . . . . <b>PMNT</b>
Amethyst . . . . . <b>PAME</b>	Navy . . . . . <b>PNV</b>
Anthracite . . . . . <b>PANT</b>	Nimbus . . . . . <b>PNIM</b>
Black Anodized . . <b>PBLA</b>	Nutmeg . . . . . <b>PNUT</b>
Bronze . . . . . <b>PBRO</b>	† Obsidian . . . . . <b>POBS</b>
Calypso . . . . . <b>PCAL</b>	† Pacific . . . . . <b>PPAC</b>
Carbon . . . . . <b>PCAR</b>	Pearl . . . . . <b>PPEA</b>
Champagne . . . . <b>PCHA</b>	Pebble . . . . . <b>PPEB</b>
Coconut . . . . . <b>PCOC</b>	Ⓢ Platinum . . . . . <b>PPLA</b>
† Copper . . . . . <b>PCOP</b>	Poppy . . . . . <b>PPOP</b>
Crimson . . . . . <b>PCRI</b>	† Raven . . . . . <b>PRAV</b>
† Crystal . . . . . <b>PCRY</b>	Royal . . . . . <b>PROY</b>
Daffodil . . . . . <b>PDAF</b>	† Satin . . . . . <b>PSAT</b>
Ebony . . . . . <b>PEBO</b>	Seaside . . . . . <b>PSEA</b>
Forest . . . . . <b>PFOR</b>	Shipyards . . . . . <b>PSHI</b>
Fossil . . . . . <b>PFOS</b>	Silver . . . . . <b>PSIL</b>
† Garnet . . . . . <b>PGAR</b>	Snow . . . . . <b>PSNO</b>
† Gold . . . . . <b>PGOL</b>	Stone . . . . . <b>PSTO</b>
Graphite . . . . . <b>PGRA</b>	Storm . . . . . <b>PSTM</b>
Ⓢ Hope . . . . . <b>PHOP</b>	Terra Cotta . . . . <b>PTEC</b>
Kelly Green . . . . <b>PKEG</b>	Whisper . . . . . <b>PWHI</b>
† Matte . . . . . <b>PMAT</b>	White Linen . . . . <b>PWHL</b>
Mica . . . . . <b>PMIC</b>	
Powder Coat Alternative . . . . . <b>OPA</b>	

\*Platinum Powder Coat is available with a \$438 upcharge

**Transparent Powder Coats (indicated by †)**

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible.

**Premium Powder Coats (indicated by Ⓢ)**

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

**Standard Laminates**

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite.

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

**Edges**

Sky table edges are available in PVC and wood.

- PVC provides hot melt applied in a continuous band around the surface.
- Wood banding is a multi-ply wood band in cherry, maple or walnut.

**PVC Edge Colors**

Absolute	Nimbus . . . . . <b>CNIM</b>
Acajou . . . . . <b>CABA</b>	Pearl . . . . . <b>CPEA</b>
Alloy . . . . . <b>CALY</b>	Platinum . . . . . <b>CPLA</b>
Carbon . . . . . <b>CCAR</b>	Pralines & Cream . . . . . <b>CPRC</b>
Champagne . . . . <b>CCHA</b>	Shadow . . . . . <b>CSHA</b>
Coconut . . . . . <b>CCOC</b>	Snow . . . . . <b>CSNO</b>
Ebony . . . . . <b>CEBO</b>	Stone . . . . . <b>CSTO</b>
Florence Walnut . <b>CFLW</b>	Storm . . . . . <b>CSTM</b>
Fossil . . . . . <b>CFOS</b>	Whisper . . . . . <b>CWHI</b>
Graphite . . . . . <b>CGRA</b>	White Linen . . . . <b>CWHL</b>
Grey . . . . . <b>CGRE</b>	
Kensington	
Maple . . . . . <b>CKEM</b>	

**Wood Edge Finishes**

Ash	Wood Edge
Beach .....	WBEA
Chestnut .....	WCHE
Drift .....	WDRI
Fawn .....	WFAW
Fog .....	WFOG
Pebble .....	WPEB
Whisper .....	WWHI

**Cherry**

Blossom Cherry .....	WBLC
Cordovan Cherry .....	WCNC
Golden Cherry .....	WGNC
Java Cherry .....	WJAC
Millwork Cherry .....	WMWC

**Maple**

Caramel Maple .....	WCMM
Solar Maple .....	WSLM
Sugar Maple .....	WSUM

**Walnut**

Brighton Walnut .....	WBRW
Espresso Walnut .....	WESW
Natural Walnut .....	WNAW
Stain Finish Match .....	OSM

**Finish Reference & Samples**

For finish color reference, please refer to Versteel's finish card. Contact Versteel to receive actual color samples for color matches and final color approval.

**Base Options****Base Glides****No Charge**

Specify code **BG1** (Glides), no additional charge

Base Glides replace standard casters. There is no change in price when selecting this option, however the overall table height is reduced by 2".

**Top Options****Top Custom Cutout****\$107 / Cutout**

Specify code **TCC** (Top Custom Cutout), add \$107.00 list per cutout

Top Custom Cutout requires a drawing for production and is subject to approvals.

**Marker Holder****\$125 / Marker Holder**

Specify code **ATMH7** (Marker Holder), add \$125.00 list each

Marker Holder is mounted to the underside of the table, accommodating four markers and an eraser. Powder coat color for the holder is Ebony.

**Grommets****Round Grommet - \$68 / each**

Specify code **WR\_** (Round Grommet - Location \_), add \$68.00 list per grommet

Round Grommets are 3" black grommets with an inside dimension of 2 1/4". Round grommets are factory installed in the specified location. Includes two-piece black insert.

**Oval Brush Grommet - \$86 / each**

Specify code **WO\_** (Oval Brush Grommet - Location \_), add \$86.00 list per grommet

**SPECIFICATIONS**

- 3" x 7 1/2" oval
- black brush insert cord access
- 1 1/2" x 4" inside dimension
- factory installed in specified location

**1 Grommet - Location A**

**Round Grommet** - Specify code **WRA**, add \$68.00 list per table



**Oval Brush Grommet** - Specify code **WOA**, add \$86.00 list per table

1 grommet is factory installed in the front center location of the top.

**2 Grommets - Location E**

**Round Grommet** - Specify code **WRE**, add \$136.00 list per table



**Oval Brush Grommet** - Specify code **WOE**, add \$172.00 list per table

2 grommets are factory installed in the front corner locations of the top.

**Wire Management****Cable Hook Legway****\$106 / set of 2**

Specify code **WCK** (Cable Hook Legway), add \$106.00 list per table

Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



**NOTE** CABLE HOOK LEGWAY (WCK) MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

**Basket - Under Top Mount****\$86 / basket**

Specify code **WBT** (Basket - Under Top Mount), add \$86.00 list per basket

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. May be specified on tables with fixed bases. Slim-tilt tables include two clear plastic wire managers as a standard. Maximum length is 18".



### Plastic Runner - Under Top Mount \$147 / runner

Specify code **WRT** (Plastic Runner - Under Top Mount), add \$147.00 list per runner

The under top mount plastic runner is a J-shaped channel made of black PVC. Inside dimension is 1 3/8". Lengths coordinate with tables up to 96". The plastic runner mounts under the top, at the front edge (approach side) of the table. May be specified on tables with fixed bases. Slim-tilt tables include two clear plastic wire managers as a standard.



### Powder Coat Alternative Call for quotation

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

### Special Laminate Call for quotation

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Sky. To specify, contact Versteel for availability and pricing.

**NOTE** LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

**CAUTION** Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

### Custom PVC Color Match Call for quotation / one time charge per color, per order

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

### Stain Finish Match \$894 / one time charge per finish, per order

Specify code **OSM** (Stain Finish Match), add \$894.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

### Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard sliced cherry, maple or walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

**NOTE** VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Rectangle  
Brattice Style Base



Questions?  
1.800.876.2120

Black = Fixed Bases  
Blue = Slim-Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC
	Flat 	Flat 	Bumper 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LP2R</b> or <b>LP2S</b> 1 1/4"	<b>LW2R</b> or <b>LW2S</b> 1 1/4"	<b>LB2R</b>  1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LPF2R</b> or <b>LPF2S</b> 1 1/4"	<b>LWF2R</b> or <b>LWF2S</b> 1 1/4"	
top thickness price >	1 1/4"		1 1/4"

Brattice Style	Table Description	Model #	Product Wt		
	<b>T1</b> 24 x 36 Fix	<b>SKBRT1 2436REFX</b>	63	2075	2459
	24 x 36 Slim-Tilt	<b>SKBRT1 2436REST</b>	63	2380	2740
	24 x 42 Fix	<b>SKBRT1 2442REFX</b>	74	2158	2579
	24 x 42 Slim-Tilt	<b>SKBRT1 2442REST</b>	74	2492	2913
	24 x 48 Fix	<b>SKBRT1 2448REFX</b>	84	2230	2689
	24 x 48 Slim-Tilt	<b>SKBRT1 2448REST</b>	84	2519	2978
	24 x 60 Fix	<b>SKBRT1 2460REFX</b>	105	2390	2925
	24 x 60 Slim-Tilt	<b>SKBRT1 2460REST</b>	105	2693	3229
	30 x 36 Fix	<b>SKBRT1 3036REFX</b>	79	2099	2520
	30 x 36 Slim-Tilt	<b>SKBRT1 3036REST</b>	79	2448	2869
	30 x 42 Fix	<b>SKBRT1 3042REFX</b>	92	2252	2712
	30 x 42 Slim-Tilt	<b>SKBRT1 3042REST</b>	92	2589	3049
	30 x 48 Fix	<b>SKBRT1 3048REFX</b>	105	2323	2822
	30 x 48 Slim-Tilt	<b>SKBRT1 3048REST</b>	105	2617	3116
30 x 60 Fix	<b>SKBRT1 3060REFX</b>	132	2500	3075	
30 x 60 Slim-Tilt	<b>SKBRT1 3060REST</b>	132	2810	3385	
	<b>TC</b> 24 x 36 Fix	<b>SKBRTC 2436REFX</b>	63	2075	2459
	24 x 36 Slim-Tilt	<b>SKBRTC 2436REST</b>	63	2380	2740
	24 x 42 Fix	<b>SKBRTC 2442REFX</b>	74	2158	2579
	24 x 42 Slim-Tilt	<b>SKBRTC 2442REST</b>	74	2492	2913
	24 x 48 Fix	<b>SKBRTC 2448REFX</b>	84	2230	2689
	24 x 48 Slim-Tilt	<b>SKBRTC 2448REST</b>	84	2519	2978
24 x 60 Fix	<b>SKBRTC 2460REFX</b>	105	2390	2925	
24 x 60 Slim-Tilt	<b>SKBRTC 2460REST</b>	105	2693	3229	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options

VERSTEEL



Rectangle  
Brattice Style Base

<b>Base Options</b>		<b>Code</b>	<b>Price</b>
Base Glides .....	.BG1		n/c

<b>Finish Options</b>		<b>Code</b>	<b>Price</b>
Powder Coat - Standard .....			n/c
Powder Coat - Premium .....			\$ 147
Platinum .....			\$ 438

<b>Top Options</b>		<b>Code</b>	<b>Price</b>
Special Laminate .....	.TSP		call
Custom Cutout (per cutout) .....	.TCC		\$ 107

**Power & Data Options**  
Please reference the Power & Data Price List

<b>Wire Management Options</b>		<b>Code</b>	<b>Price</b>
Basket, Under Top Mount* .....	.WBT		\$ 86
Plastic Runner, Under Top Mount* .....	.WRT		\$ 147
Cable Hook Legway .....	.WCK		\$ 106
1 Oval Brush Grommet - Location A .....	.WOA		\$ 86
2 Oval Brush Grommets - Location E .....	.WOE		\$ 172
1 Oval Brush Grommet - Provide Location Print .....	.WOG		\$ 86
1 Round Grommet - Location A .....	.WRA		\$ 68
2 Round Grommets - Location E .....	.WRE		\$ 136
1 Round Grommet - Provide Location Print .....	.WRG		\$ 68

\*Available on fixed rectangle tables only

Rectangle  
Eliga Style Base



Questions?

1.800.876.2120

Black = Fixed Bases  
Blue = Slim-Tilt Bases

top > edge >	Laminate PVC	Laminate Wood
	Flat 	Flat 
edge ordering code (square corner) >	<b>LP2S</b>	<b>LW2S</b>
top thickness >	1 1/4"	1 1/4"

Eliga Style	Table Description	Model #	Product Wt	top thickness price >	
				1 1/4"	1 1/4"
	<b>T1</b> 24 x 36 Fix	<b>SKEGT1 2436REFX</b>	63	2380	2763
	24 x 36 Slim-Tilt	<b>SKEGT1 2436REST</b>	63	2683	3067
	24 x 42 Fix	<b>SKEGT1 2442REFX</b>	74	2461	2882
	24 x 42 Slim-Tilt	<b>SKEGT1 2442REST</b>	74	2795	3216
	24 x 48 Fix	<b>SKEGT1 2448REFX</b>	84	2533	2993
	24 x 48 Slim-Tilt	<b>SKEGT1 2448REST</b>	84	2822	3282
	24 x 60 Fix	<b>SKEGT1 2460REFX</b>	105	2694	3230
	24 x 60 Slim-Tilt	<b>SKEGT1 2460REST</b>	105	2996	3532
	30 x 36 Fix	<b>SKEGT1 3036REFX</b>	79	2402	2823
	30 x 36 Slim-Tilt	<b>SKEGT1 3036REST</b>	79	2751	3172
	30 x 42 Fix	<b>SKEGT1 3042REFX</b>	92	2555	3015
	30 x 42 Slim-Tilt	<b>SKEGT1 3042REST</b>	92	2892	3352
	30 x 48 Fix	<b>SKEGT1 3048REFX</b>	105	2627	3125
	30 x 48 Slim-Tilt	<b>SKEGT1 3048REST</b>	105	2921	3419
30 x 60 Fix	<b>SKEGT1 3060REFX</b>	132	2804	3379	
30 x 60 Slim-Tilt	<b>SKEGT1 3060REST</b>	132	3113	3688	
	<b>TC</b> 24 x 36 Fix	<b>SKEGTC 2436REFX</b>	63	2380	2763
	24 x 36 Slim-Tilt	<b>SKEGTC 2436REST</b>	63	2683	3067
	24 x 42 Fix	<b>SKEGTC 2442REFX</b>	74	2461	2882
	24 x 42 Slim-Tilt	<b>SKEGTC 2442REST</b>	74	2795	3216
	24 x 48 Fix	<b>SKEGTC 2448REFX</b>	84	2533	2993
	24 x 48 Slim-Tilt	<b>SKEGTC 2448REST</b>	84	2822	3282
	24 x 60 Fix	<b>SKEGTC 2460REFX</b>	105	2694	3230
	24 x 60 Slim-Tilt	<b>SKEGTC 2460REST</b>	105	2996	3532

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options

VERSTEEL



Rectangle  
Eliga Style Base

<b>Base Options</b>		<b>Code</b>	<b>Price</b>
Base Glides .....	.BG1		n/c

<b>Finish Options</b>		<b>Code</b>	<b>Price</b>
Powder Coat - Standard .....			n/c
Powder Coat - Premium .....			\$ 147
Platinum .....			\$ 438

<b>Top Options</b>		<b>Code</b>	<b>Price</b>
Special Laminate .....	.TSP		call
Custom Cutout (per cutout) .....	.TCC		\$ 107

**Power & Data Options**  
Please reference the Power & Data Price List

<b>Wire Management Options</b>		<b>Code</b>	<b>Price</b>
Basket, Under Top Mount* .....	.WBT		\$ 86
Plastic Runner, Under Top Mount* .....	.WRT		\$ 147
Cable Hook Legway .....	.WCK		\$ 106
1 Oval Brush Grommet - Location A .....	.WOA		\$ 86
2 Oval Brush Grommets - Location E .....	.WOE		\$ 172
1 Oval Brush Grommet - Provide Location Print .....	.WOG		\$ 86
1 Round Grommet - Location A .....	.WRA		\$ 68
2 Round Grommets - Location E .....	.WRE		\$ 136
1 Round Grommet - Provide Location Print .....	.WRG		\$ 68

\*Available on fixed rectangle tables only

Rectangle Performance Style Base



Questions?

1.800.876.2120

Black = Fixed Bases  
Blue = Slim-Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC
	Flat 	Flat 	Bumper 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LP2R</b> or <b>LP2S</b> 1 1/4"	<b>LW2R</b> or <b>LW2S</b> 1 1/4"	<b>LB2R</b>  1 1/4"
	Fluted 	Fluted 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LPF2R</b> or <b>LPF2S</b> 1 1/4"	<b>LWF2R</b> or <b>LWF2S</b> 1 1/4"
top thickness price >	1 1/4"	1 1/4"	

Performance Style	Table Description	Model #	Product Wt		
	<b>T1</b> 24 x 36 Fix	<b>SKPET1 2436REFX</b>	63	1991	2374
	24 x 36 Slim-Tilt	<b>SKPET1 2436REST</b>	63	2296	2678
	24 x 42 Fix	<b>SKPET1 2442REFX</b>	74	2073	2494
	24 x 42 Slim-Tilt	<b>SKPET1 2442REST</b>	74	2407	2830
	24 x 48 Fix	<b>SKPET1 2448REFX</b>	84	2145	2605
	24 x 48 Slim-Tilt	<b>SKPET1 2448REST</b>	84	2435	2893
	24 x 60 Fix	<b>SKPET1 2460REFX</b>	105	2305	2841
	24 x 60 Slim-Tilt	<b>SKPET1 2460REST</b>	105	2607	3143
	30 x 36 Fix	<b>SKPET1 3036REFX</b>	79	2014	2436
	30 x 36 Slim-Tilt	<b>SKPET1 3036REST</b>	79	2364	2785
	30 x 42 Fix	<b>SKPET1 3042REFX</b>	92	2167	2627
	30 x 42 Slim-Tilt	<b>SKPET1 3042REST</b>	92	2505	2964
	30 x 48 Fix	<b>SKPET1 3048REFX</b>	105	2239	2738
	30 x 48 Slim-Tilt	<b>SKPET1 3048REST</b>	105	2532	3030
30 x 60 Fix	<b>SKPET1 3060REFX</b>	132	2415	2990	
30 x 60 Slim-Tilt	<b>SKPET1 3060REST</b>	132	2724	3299	
	<b>TC</b> 24 x 36 Fix	<b>SKPETC 2436REFX</b>	63	1991	2374
	24 x 36 Slim-Tilt	<b>SKPETC 2436REST</b>	63	2296	2678
	24 x 42 Fix	<b>SKPETC 2442REFX</b>	74	2073	2494
	24 x 42 Slim-Tilt	<b>SKPETC 2442REST</b>	74	2407	2830
	24 x 48 Fix	<b>SKPETC 2448REFX</b>	84	2145	2605
	24 x 48 Slim-Tilt	<b>SKPETC 2448REST</b>	84	2435	2893
24 x 60 Fix	<b>SKPETC 2460REFX</b>	105	2305	2841	
24 x 60 Slim-Tilt	<b>SKPETC 2460REST</b>	105	2607	3143	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



VERSTEEL



Rectangle  
Performance Style Base

<b>Base Options</b>	<b>Code</b>	<b>Price</b>
Base Glides .....	.BG1	n/c

<b>Finish Options</b>	<b>Code</b>	<b>Price</b>
Powder Coat - Standard .....		n/c
Powder Coat - Premium .....		\$ 147
Platinum .....		\$ 438

<b>Top Options</b>	<b>Code</b>	<b>Price</b>
Special Laminate .....	.TSP	call
Custom Cutout (per cutout) .....	.TCC	\$ 107

**Power & Data Options**  
Please reference the Power & Data Price List

<b>Wire Management Options</b>	<b>Code</b>	<b>Price</b>
Basket, Under Top Mount* .....	.WBT	\$ 86
Plastic Runner, Under Top Mount* .....	.WRT	\$ 147
Cable Hook Legway .....	.WCK	\$ 106
1 Oval Brush Grommet - Location A .....	.WOA	\$ 86
2 Oval Brush Grommets - Location E .....	.WOE	\$ 172
1 Oval Brush Grommet - Provide Location Print .....	.WOG	\$ 86
1 Round Grommet - Location A .....	.WRA	\$ 68
2 Round Grommets - Location E .....	.WRE	\$ 136
1 Round Grommet - Provide Location Print .....	.WRG	\$ 68

\*Available on fixed rectangle tables only

Rectangle  
Skware Style Base



Questions?  
1.800.876.2120

Black = Fixed Bases  
Blue = Slim-Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC
	Flat 	Flat 	Bumper 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LP2R</b> or <b>LP2S</b> 1 1/4"	<b>LW2R</b> or <b>LW2S</b> 1 1/4"	<b>LB2R</b>  1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LPF2R</b> or <b>LPF2S</b> 1 1/4"	<b>LWF2R</b> or <b>LWF2S</b> 1 1/4"	
top thickness price >	1 1/4"		1 1/4"

Skware Style	Table Description	Model #	Product Wt		
	<b>T1</b> 24 x 36 Fix	<b>SKSRT1 2436REFX</b>	63	2075	2459
	24 x 36 Slim-Tilt	<b>SKSRT1 2436REST</b>	63	2380	2740
	24 x 42 Fix	<b>SKSRT1 2442REFX</b>	74	2158	2579
	24 x 42 Slim-Tilt	<b>SKSRT1 2442REST</b>	74	2492	2913
	24 x 48 Fix	<b>SKSRT1 2448REFX</b>	84	2230	2689
	24 x 48 Slim-Tilt	<b>SKSRT1 2448REST</b>	84	2519	2978
	24 x 60 Fix	<b>SKSRT1 2460REFX</b>	105	2390	2925
	24 x 60 Slim-Tilt	<b>SKSRT1 2460REST</b>	105	2693	3229
	30 x 36 Fix	<b>SKSRT1 3036REFX</b>	79	2099	2520
	30 x 36 Slim-Tilt	<b>SKSRT1 3036REST</b>	79	2448	2869
	30 x 42 Fix	<b>SKSRT1 3042REFX</b>	92	2252	2712
	30 x 42 Slim-Tilt	<b>SKSRT1 3042REST</b>	92	2589	3049
	30 x 48 Fix	<b>SKSRT1 3048REFX</b>	105	2323	2822
	30 x 48 Slim-Tilt	<b>SKSRT1 3048REST</b>	105	2617	3116
30 x 60 Fix	<b>SKSRT1 3060REFX</b>	132	2500	3075	
30 x 60 Slim-Tilt	<b>SKSRT1 3060REST</b>	132	2810	3385	
	<b>TC</b> 24 x 36 Fix	<b>SKSRTC 2436REFX</b>	63	2075	2459
	24 x 36 Slim-Tilt	<b>SKSRTC 2436REST</b>	63	2380	2740
	24 x 42 Fix	<b>SKSRTC 2442REFX</b>	74	2158	2579
	24 x 42 Slim-Tilt	<b>SKSRTC 2442REST</b>	74	2492	2913
	24 x 48 Fix	<b>SKSRTC 2448REFX</b>	84	2230	2689
	24 x 48 Slim-Tilt	<b>SKSRTC 2448REST</b>	84	2519	2978
	24 x 60 Fix	<b>SKSRTC 2460REFX</b>	105	2390	2925
24 x 60 Slim-Tilt	<b>SKSRTC 2460REST</b>	105	2693	3229	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options

VERSTEEL



Rectangle  
Skware Style Base

<b>Base Options</b>		<b>Code</b>	<b>Price</b>
Base Glides .....	.BG1	n/c	

<b>Finish Options</b>		<b>Code</b>	<b>Price</b>
Powder Coat - Standard .....		n/c	
Powder Coat - Premium .....		\$	147
Platinum .....		\$	438

<b>Top Options</b>		<b>Code</b>	<b>Price</b>
Special Laminate .....	.TSP	call	
Custom Cutout (per cutout) .....	.TCC	\$	107

**Power & Data Options**  
Please reference the Power & Data Price List

<b>Wire Management Options</b>		<b>Code</b>	<b>Price</b>
Basket, Under Top Mount* .....	.WBT	\$	86
Plastic Runner, Under Top Mount* .....	.WRT	\$	147
Cable Hook Legway .....	.WCK	\$	106
1 Oval Brush Grommet - Location A .....	.WOA	\$	86
2 Oval Brush Grommets - Location E .....	.WOE	\$	172
1 Oval Brush Grommet - Provide Location Print .....	.WOG	\$	86
1 Round Grommet - Location A .....	.WRA	\$	68
2 Round Grommets - Location E .....	.WRE	\$	136
1 Round Grommet - Provide Location Print .....	.WRG	\$	68

\*Available on fixed rectangle tables only

Rectangle  
Vela Style Base



Questions?

1.800.876.2120

Black = Fixed Bases  
Blue = Slim-Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC
	Flat 	Flat 	Bumper 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LP2R</b> or <b>LP2S</b> 1 1/4"	<b>LW2R</b> or <b>LW2S</b> 1 1/4"	<b>LB2R</b>  1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	<b>LPF2R</b> or <b>LPF2S</b> 1 1/4"	<b>LWF2R</b> or <b>LWF2S</b> 1 1/4"	
top thickness price >	1 1/4"		1 1/4"

Vela Style	Table Description	Model #	Product Wt		
	<b>T1</b> 24 x 36 Fix	<b>SKVET1 2436REFX</b>	63	2036	2419
	24 x 36 Slim-Tilt	<b>SKVET1 2436REST</b>	63	2341	2724
	24 x 42 Fix	<b>SKVET1 2442REFX</b>	74	2118	2540
	24 x 42 Slim-Tilt	<b>SKVET1 2442REST</b>	74	2452	2875
	24 x 48 Fix	<b>SKVET1 2448REFX</b>	84	2190	2650
	24 x 48 Slim-Tilt	<b>SKVET1 2448REST</b>	84	2480	2939
	24 x 60 Fix	<b>SKVET1 2460REFX</b>	105	2350	2886
	24 x 60 Slim-Tilt	<b>SKVET1 2460REST</b>	105	2653	3189
	30 x 36 Fix	<b>SKVET1 3036REFX</b>	79	2059	2481
	30 x 36 Slim-Tilt	<b>SKVET1 3036REST</b>	79	2408	2831
	30 x 42 Fix	<b>SKVET1 3042REFX</b>	92	2212	2672
	30 x 42 Slim-Tilt	<b>SKVET1 3042REST</b>	92	2551	3009
	30 x 48 Fix	<b>SKVET1 3048REFX</b>	105	2284	2783
	30 x 48 Slim-Tilt	<b>SKVET1 3048REST</b>	105	2577	3075
30 x 60 Fix	<b>SKVET1 3060REFX</b>	132	2460	3036	
30 x 60 Slim-Tilt	<b>SKVET1 3060REST</b>	132	2770	3345	
	<b>TC</b> 24 x 36 Fix	<b>SKVETC 2436REFX</b>	63	2036	2419
	24 x 36 Slim-Tilt	<b>SKVETC 2436REST</b>	63	2341	2724
	24 x 42 Fix	<b>SKVETC 2442REFX</b>	74	2118	2540
	24 x 42 Slim-Tilt	<b>SKVETC 2442REST</b>	74	2452	2875
	24 x 48 Fix	<b>SKVETC 2448REFX</b>	84	2190	2650
	24 x 48 Slim-Tilt	<b>SKVETC 2448REST</b>	84	2480	2939
24 x 60 Fix	<b>SKVETC 2460REFX</b>	105	2350	2886	
24 x 60 Slim-Tilt	<b>SKVETC 2460REST</b>	105	2653	3189	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options

VERSTEEL



Rectangle  
Vela Style Base

**Base Options** **Code Price**

Base Glides .....BG1 n/c

**Finish Options** **Code Price**

Powder Coat - Standard ..... n/c

Powder Coat - Premium ..... \$ 147

Platinum ..... \$ 438

**Top Options** **Code Price**

Special Laminate .....TSP call

Custom Cutout (per cutout) .....TCC \$ 107

**Power & Data Options**

Please reference the Power & Data Price List

**Wire Management Options** **Code Price**

Basket, Under Top Mount\* .....WBT \$ 86

Plastic Runner, Under Top Mount\* .....WRT \$ 147

Cable Hook Legway .....WCK \$ 106

1 Oval Brush Grommet - Location A .....WOA \$ 86

2 Oval Brush Grommets - Location E .....WOE \$ 172

1 Oval Brush Grommet - Provide Location Print .....WOG \$ 86

1 Round Grommet - Location A .....WRA \$ 68

2 Round Grommets - Location E .....WRE \$ 136

1 Round Grommet - Provide Location Print .....WRG \$ 68

\*Available on fixed rectangle tables only

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**versteel.com**  
Made in America  
800 876 2120