
When ordering this product, specification codes must be added to unit Model Number, as shown below. NOTE: Upholstery and/or additional options must be specified separately.





MODEL NUMBER – LEG FINISH –

FAL125A -SS

Woo	bd	Met	al
AR	Aria	GM	Gunmetal
CL	Candlelight	MB	Metallic Beige
CN	Chestnut	SB	Smooth Black
сн	Chocolate	SS	Smooth Silver
DV	Dolce Vita	тв	Textured Black
GR	Grenada	ΤN	Textured Nickel
нм	Hard Rock Maple		
НА	Havana		
PA	Palomino		
PE	Pebble		
SA	Sand		
wc	White Chocolate		

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL125A

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Single Seat	Width 25	Metal legs	+390
Armless	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+85
	Seat Width 25		
	Seat Depth 21		
-	Seat Height 18		
	COM Yard Back 1.75		
	COM Yard Seat 2		
	COM Yard 3.75		
V	Cubic Feet 14		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL125A	2439	2632	2824	3017	3209	3402	3595	3787

FAL125F

DESCRIPTION -	DIMENSIONS -			C	PTIONS -				
Single Seat	Width 33			Ν	letal legs				+390
Upholstered arms	Depth 30			F	luted bac	k			+80
	Height 30			N	Noisture b	barrier			+85
	Seat Width 25								
	Seat Depth 21								
	Seat Height 18								
	Arm Height 25								
	COM Yard Back	1.75							
	COM Yard Seat 2	2							
	COM Yard Arm 2	5							
	COM Yard 6.25								
	Cubic Feet 19								
	MODEL NO.	COM/1	2	3	4	5	6	7	8

	-							
FAL125F	3239	3561	3882	4203	4525	4846	5168	5489

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL125F-W

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Single Seat	Width 35.5	Metal legs	+390
Wood arms	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+85
	Seat Width 25		
	Seat Depth 21		
	Seat Height 18		
	Arm Height 24		
	COM Yard Back 1.75		
	COM Yard Seat 2		
	COM Yard 3.75		
	Cubic Feet 20		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL125F-W	3178	3371	3565	3758	3952	4146	4339	4530

FAL148A

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Two-seat	Width 48.5	Metal legs	+390
Armless	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 2.5		
	COM Yard Seat 3.5		
	COM Yard 6		
	Cubic Feet 28		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148A	3651	3955	4259	4563	4867	5171	5474	5778

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL148F

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Two-seat	Width 56.5	Metal legs	+390
Upholstered arms	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	Arm Height 25		
	COM Yard Back 2.5		
	COM Yard Seat 3.5		
	COM Yard Arm 2.5		
	COM Yard 8.5		
	Cubic Feet 32		



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148F	4450	4887	5325	5763	6201	6638	7076	7514

FAL148F-W

DESCRIPTION -	DIMENSIONS -	OPTIONS -		
Two-seat	Width 59	Metal legs	+390	
Wood arms	Depth 30	Fluted back	+80	
	Height 30	Moisture barrier	+170	
	Seat Width 48.5			
	Seat Depth 21			
	Seat Height 18			
	Arm Height 24			
	COM Yard Back 2.5			
	COM Yard Seat 3.5			
· · · · · · · · · · · · · · · · · · ·	COM Yard 6			
	Cubic Feet 33			


MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148F-W	4493	4802	5111	5420	5729	6038	6347	6656

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL248A

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Two-seat	Width 48.5	Metal legs	+390
Double-sided	Depth 56	Fluted back	+80
	Height 30	Moisture barrier	+340
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 2.5		
	COM Yard Seat 4.25		
L	COM Yard 6.75		
	Cubic Feet 51		



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL248A	4378	4726	5074	5422	5770	6118	6466	6814

FAL148A-HB

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Booth	Width 48.5	Metal legs	+390
	Depth 30	Fluted back	+80
	Height 42	Moisture barrier	+170
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 4		
	COM Yard Seat 2.25		
	COM Yard 6.25		
	Cubic Feet 38		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148A-HB	3994	4316	4637	4958	5280	5632	5923	6244

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL248A-HB

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Booth	Width 48.5	Metal legs	+390
Double-sided	Depth 56	Fluted back	+80
	Height 42	Moisture barrier	+340
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 4.25		
	COM Yard Seat 4.25		
	COM Yard 8.5		
	Cubic Feet 70		

$(\mathcal{T}\mathcal{D})$

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL248A-HB	4849	5287	5725	6162	6600	7038	7476	7913

FAL130IW

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
30° Curve, inside	Width 31	Metal legs	+390
	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 15.5–26		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 2		
	COM Yard Seat 1.75		
I III	COM Yard 3.75		
	Cubic Feet 18		


MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL130IW	2666	2859	3053	3247	3440	3634	3827	4021

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL160IW

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
60° Curve, inside	Width 60	Metal legs	+390
	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 30–50		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 3		
6	COM Yard Seat 2.5		
	COM Yard 5.5		
	Cubic Feet 34		



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL160IW	3523	3819	4116	4413	4709	5006	5302	5599

FAL130OW

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
30° Curve, outside	Width 31	Metal legs	+390
	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 20.75–31		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 2		
	COM Yard Seat 1.5		
L.	COM Yard 3.5		
	Cubic Feet 18		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL130OW	2666	2859	3053	3247	3440	3634	3827	4021

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAL160OW

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
60° Curve, outside	Width 60	Metal legs	+390
	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 40–60		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 3		
	COM Yard Seat 2.5		
1 1	COM Yard 5.5		
	Cubic Feet 34		



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL160OW	3523	3819	4116	4413	4709	5006	5302	5599

FAB125

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Spacer Bench	Width 25	Metal legs	+390
	Depth 30	Moisture barrier	+85
	Height 18		
	Seat Width 25		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 1		
I INI	Cubic Feet 9		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB125	1512	1569	1625	1682	1739	1795	1852	1909

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAB150

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Two-seat Bench	Width 50	Metal legs	+390
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 50		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 2		
	Cubic Feet 17		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB150	2118	2241	2365	2488	2612	2736	2859	2983

FAB130W

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
30° Curve, bench	Width 31	Metal legs	+390
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 15.5–31		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 1		
	Cubic Feet 11		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB130W	1512	1569	1625	1682	1739	1795	1852	1909

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAB160Q

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
60° Curve, bench	Width 60	Metal legs	+390
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 30-60		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 2.25		
The second secon	Cubic Feet 21		
	· · · · · · ·		

				Ű	0	'	0
FAB160Q 214	0 2279	2418	2557	2697	2836	2975	3114

FA0130

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Round Ottoman	Width 30	Metal legs	+390
	Depth 30	Moisture barrier	+85
	Height 18		
	Seat Width 30		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 1.75		
1 - Ju	Cubic Feet 11		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAO130	1575	1666	1756	1847	1937	2028	2119	2209

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

FREESTANDING / STARTER UNITS -

FAT132914

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Table	Width 12.5	Metal legs	+390
Single Depth	Depth 28.75		
	Height 14		
	Cubic Feet 4		



MODEL NO.

FAT132914-P	Single Depth Table, laminate (shown)	USD \$	1512
FAT132914-S	Single Depth Table, solid surface	USD \$	1692


FAT135614

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Table	Width 12.5	Metal legs	+390
Double Depth	Depth 55.375		
	Height 14		
	Cubic Feet 7		



MODEL NO.

FAT135614-P	Double Depth Table, laminate (shown)	USD \$	2050
FAT135614-S	Double Depth Table, solid surface	USD \$	2560



Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL125AC

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Single Seat	Width 25	Metal legs	+195
Armless	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+85
	Seat Width 25		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 1.75		
	COM Yard Seat 2		
	COM Yard 3.75		
	Cubic Feet 14		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL125AC	2362	2554	2747	2940	3132	3325	3517	3710

FAL125FR

DESCRIPTION -	DIMENSIONS -	OPTIONS -		
Single Seat	Width 29	Metal legs	+195	
Right upholstered arm	Depth 30	Fluted back	+80	
	Height 30	Moisture barrier	+85	
	Seat Width 25			
	Seat Depth 21			
	Seat Height 18			
	Arm Height 25			
	COM Yard Back 1.75			
	COM Yard Seat 2			
- and the second	COM Yard Arm 1.25			
	COM Yard 5			
	Cubic Feet 17			

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL125FR	2851	3109	3366	3624	3881	4139	4396	4654

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL125FL

DESCRIPTION -	DIMENSIONS -	OPTIONS -			
Single Seat	Width 29	Metal legs	+390		
Left upholstered arm	Depth 30	Fluted back	+80		
	Height 30	Moisture barrier	+85		
	Seat Width 25				
	Seat Depth 21				
-	Seat Height 18				
	Arm Height 25				
	COM Yard Back 1.75				
	COM Yard Seat 2				
2	COM Yard Arm 1.25				
	COM Yard 5				
	Cubic Feet 17				



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL125FL	2851	3109	3366	3624	3881	4139	4396	4654

FAL148AC

DESCRIPTION -	DIMENSIONS -	OPTIONS -			
Two-seat	Width 48.5	Metal legs	+195		
Armless	Depth 30	Fluted back	+80		
	Height 30	Moisture barrier	+170		
	Seat Width 48.5				
	Seat Depth 21				
	Seat Height 18				
	COM Yard Back 2.5				
	COM Yard Seat 3.5				
	COM Yard 6				
	Cubic Feet 28				


MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148AC	3574	3878	4182	4486	4790	5093	5397	5701

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL248AC

DESCRIPTION -	DIMENSIONS -	OPTIONS -		
Two-seat	Width 48.5	Metal legs	+195	
Double-sided	Depth 56	Fluted back	+80	
	Height 30	Moisture barrier	+340	
	Seat Width 48.5			
	Seat Depth 21			
	Seat Height 18			
	COM Yard Back 2.5			
	COM Yard Seat 4.25			
and the second s	COM Yard 6.75			
	Cubic Feet 51			



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL248AC	4300	4648	4997	5345	5693	6041	6389	6737

FAL148AC-HB

DESCRIPTION -

Booth

	DIMENSIONS -	OPTIONS -	
	Width 48.5	Metal legs	+195
	Depth 30	Fluted back	+80
	Height 42	Moisture barrier	+170
Seat Width 48.5			
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 4		
	COM Yard Seat 2.25		
	COM Yard 6.25		
	Cubic Feet 38		


MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL148AC-HB	3917	4238	4560	4881	5203	5555	5845	6167

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL248AC-HB

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Booth	Width 48.5	Metal legs	+195
Double-sided	Depth 56	Fluted back	+80
	Height 42	Moisture barrier	+340
	Seat Width 48.5		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 4.25		
	COM Yard Seat 4.25		
	COM Yard 8.5		
	Cubic Feet 70		



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL248AC-HB	4772	5210	5647	6085	6523	6961	7398	7836

FAL130IWC

DESCRIPTION -	DIMENSIONS -	OPTIONS -		
30° Curve, inside	Width 31	Metal legs	+195	
	Depth 30	Fluted back	+80	
	Height 30	Moisture barrier	+170	
	Seat Width 15.5–26			
	Seat Depth 21			
	Seat Height 18			
	COM Yard Back 2			
	COM Yard Seat 1.75			
	COM Yard 3.75			
	Cubic Feet 18			

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL130IWC	2588	2782	2976	3169	3363	3557	3750	3944

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL160IWC

60° Curve, inside



DIMENSIONS -	OPTIONS -
Width 60	Metal legs
Depth 30	Fluted back
Height 30	Moisture barrier
Seat Width 30–50	
Seat Depth 21	
Seat Height 18	
COM Yard Back 3	
COM Yard Seat 2.5	
COM Yard 5.5	
Cubic Feet 34	

+195	
+80	
+170	

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL160IWC	3445	3742	4039	4335	4632	4929	5225	5522

FAL1300WC

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
30° Curve, outside	Width 31	Metal legs	+195
	Depth 30	Fluted back	+80
	Height 30	Moisture barrier	+170
	Seat Width 20.75–31		
	Seat Depth 21		
	Seat Height 18		
	COM Yard Back 2		
	COM Yard Seat 1.5		
and the second s	COM Yard 3.5		
	Cubic Feet 18		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL130OWC	2588	2782	2976	3169	3363	3557	3750	3944

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAL1600WC

60° Curve, outside



DIMENSIONS -	OPTIONS -
Width 60	Metal legs
Depth 30	Fluted bac
Height 30	Moisture b
Seat Width 40–60	
Seat Depth 21	
Seat Height 18	
COM Yard Back 3	
COM Yard Seat 2.5	
COM Yard 5.5	
Cubic Feet 34	

Metal legs	+195
Fluted back	+80
Moisture barrier	+170



MODEL NO.	COM/1	2	3	4	5	6	7	8
FAL160OWC	3445	3742	4039	4335	4632	4929	5225	5522

FAB125C

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Spacer Bench	Width 25	Metal legs	+195
	Depth 30	Moisture barrier	+85
	Height 18		
	Seat Width 25		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 1		
	Cubic Feet 9		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB125C	1435	1491	1548	1605	1661	1718	1775	1831

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAB150C

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
Two-seat Bench	Width 50	Metal legs	+195
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 50		
	Seat Depth 30		
	Seat Height 18		
and the second se	COM Yard 2		
	Cubic Feet 17		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB150C	2040	2164	2288	2411	2535	2658	2782	2906

FAB130WC

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
30° Curve, bench	Width 31	Metal legs	+195
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 15.5–31		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 1		
	Cubic Feet 11		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB130WC	1435	1491	1548	1605	1661	1718	1775	1831

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAB160QC

DESCRIPTION -	DIMENSIONS -	OPTIONS -	
60° Curve, bench	Width 60	Metal legs	+195
	Depth 30	Moisture barrier	+170
	Height 18		
	Seat Width 30–60		
	Seat Depth 30		
	Seat Height 18		
	COM Yard 2.25		
	Cubic Feet 21		

MODEL NO.	COM/1	2	3	4	5	6	7	8
FAB160QC	2063	2202	2341	2480	2619	2758	2897	3036

FAT13296C

DESCRIPTION -	DIMENSIONS -	
Spacer Table	Width 12.5	
Single depth	Depth 28.75	
	Height 5.75	
	Cubic Feet 2	



MODEL NO.

FAT13296C-P	Single Depth Spacer Table, laminate (shown)	USD \$	1131
FAT13296C-S	Single Depth Spacer Table, solid surface	USD \$	1311

Different fabrics may be specified on the seat and on the back. In this case, use the higher grade of the two. No additional upcharge applies. All prices are in US dollars (USD).

CONNECTING UNITS -

FAT13566C

DESCRIPTION -	DIMENSIONS -
Spacer Table	Width 12.5
Double depth	Depth 55.375
	Height 5.75
	Cubic Feet 3



MODEL NO.

FAT13566C-P	Double Depth Spacer Table, laminate (shown)	USD \$	1669
FAT13566C-S	Double Depth Spacer Table, solid surface	USD \$	2178

FATR15WC

DESCRIPTION	_
-------------	---

15° Table

Width 8–15.5
Depth 28.75
Height 5.75
Cubic Feet 2



MODEL NO.

DIMENSIONS -

FATR15WC-P	Narrow Wedge 15° Spacer Table, laminate (shown)	USD \$	1354
FATR15WC-S	Narrow Wedge 15° Spacer Table, solid surface	USD \$	1478

FATR30WC

30° Table

DIMENSIONS -
Width 15.5–30.5
Depth 28.75
Height 5.75
Cubic Feet 3



MODEL NO.

FATR30WC-P	Wide Wedge 30° Spacer Table, laminate (shown)	USD \$	1702
FATR30WC-S	Wide Wedge 30° Spacer Table, solid surface	USD \$	1902